brabantia®
solid company

INSTRUCTION MANUAL
STAINLESS STEEL JUICE EXTRACTOR

brabantia
solid company

STAINLESS STEEL JUICE EXTRACTOR
INSTRUCTION MANUAL

MODEL NO.: BBEK1122

IMPORTANT SAFEGUARDS

1. Please read through the following safety precautions carefully before switching on the Juice Extractor.
2. Keep this instruction manual in a safe place for future reference. Also keep the sales receipt and, if possible, the gift box with the inner packaging.
3. Failure to follow all the instructions listed may result in electric shock, fire or serious personal injury.
4. Before plugging the Juice Extractor into the mains electrical supply, check that the voltage and power supply comply with the specifications indicated on the rating plate of the appliance.
5. Do not plug the appliance into the power supply until it is fully assembled and always unplug before disassembling the appliance as the unit contains sharp parts.
6. The Juice Extractor is not intended for use for by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
7. Always place the Juice Extractor on a stable, flat, heat-resistant surface. Also ensure that the surface can take the weight of the unit during use.
8. The Juice Extractor is intended for DOMESTIC USE ONLY and should not be used for commercial purposes. The Juice Extractor should only be used for its intended purpose.
9. Always keep the Juice Extractor out of reach of children. Close adult supervision is necessary when Juice Extractor is used by or near children.
10. Do not leave the unit unattended when in use.
11. Do not move or lift the Juice Extractor while it is operating or while it is connected to an electrical socket.
12. The use of attachments, not specifically recommended by the manufacturer, must not be used as they may cause personal injury or damage to the appliance.
13. Care should be taken when cleaning the unit as it contains sharp parts.
14. Never use the Juice Extractor if it is damaged in any way.
15. Do not use the unit if the rotating sieve is damaged.
16. Do not use the unit without a correctly mounted pulp container.
17. Never remove the upper cover until the rotating sieve has stopped completely.
18. Always use the food pusher to push food through the opening. Never push food into the unit using your fingers, a fork, spoon, knife or any other object.
19. Do not operate the Juice Extractor if the plug or power cord has been damaged, is not working properly, has been dropped or has been exposed to water or other liquid.
20. Check the Juice Extractor power cord carefully regularly for damage. If the power cord is damaged in any way, it must be replaced by the manufacturer or its service agent or a similarly qualified person in order to avoid an electrical hazard.

21. Do not allow the power cord to hang over sharp table edges or come into contact with hot surfaces.
22. Make sure that the Juice Extractor is switched off and remove the plug from the mains electrical supply when it is not in use, before it is cleaned, before changing accessories or moving parts and while it is being repaired.
23. To prevent the risk of electrical shock, do not immerse the power cord, plug, or any non-removable parts of this Juice Extractor in water or any other liquid.
24. The Juice Extractor base must not be submerged in water, as any contact with the electrical parts would create the risk of malfunction and electric shock. Do not use the appliance with wet hands.
25. Do not use the Juice Extractor outdoors.
26. Always switch the power OFF before removing the plug from the wall socket.
27. To unplug the appliance, grasp the plug firmly and remove it from the mains electrical supply. DO NOT PULL ON THE CORD.
28. When the circuit breaker automatically stops the motor due to overloading or due to the motor working for too long, switch off the appliance and unplug. Clear any excess residue from the middle body spout unit (no 4) and then wait for about 30 minutes before resuming operation.
29. All repairs should be done by a qualified electrician. Improper repairs may place the user at risk.
30. When handing this product over to a third party, ensure that this instruction manual is supplied with the appliance.

TECHNICAL DATA
Power: 220-240V ~ 50/60Hz
Power: 600W-800W
900ML Juice Jug

5 Year Guarantee

KNOW YOUR STAINLESS STEEL JUICE EXTRACTOR



1. Pusher
2. Transparent Cover
3. Blade Unit
4. Middle Body Spout Unit
5. Handle Lock
6. Transmitter
7. Pulp Container
8. Main Body
9. LCD Control
10. Anti-Skid Suction
11. Spout
12. Juice Jug

HOW TO USE YOUR STAINLESS STEEL JUICE EXTRACTOR:

1. Prepare the food to be used. Wash fruit or vegetables thoroughly. Remove all seeds and stems (larger and smaller ones) Fruit such as pineapples must be peeled.
2. **DO NOT USE** this Juice Extractor to extract juice from citrus fruit such as oranges as it could cause a blockage in the blade unit.
3. The amount of juice that is extracted depends on the type of fruit or vegetable that is used.
4. Place cut food into the feeding chute and press slowly with the pusher.

NOTE: Use the '-' switch if working with soft food such as melon, cucumber, tomatoes, pineapple etc. Use the '+' switch if working harder food such as carrots, apples, celery, beet etc.

5. Repeat the process, filling the juice jug each time, until you have the desired amount of juice.
6. **DO NOT** use the Juice Extractor for more than 2 minutes continuously.
7. Periodically switch OFF the unit to check if any fruit or vegetable debris may have become stuck which could cause a blockage. Unplug the unit and dislodge any blockage before operating the motor once more and continuing with the juice extraction.
8. Sometimes the juice spout may drip some left-over juice. For this reason place a small dish or paper towel under the spout once the juice jug is removed.
9. After use, switch the unit OFF, remove it from the mains electrical supply and carefully remove the transparent cover, the blade unit, the middle body spout unit and the pulp container and discard all the pulp before washing these items in warm soapy water.

The main function of the Juice Extractor is to extract juice from fruit such as apples and melons and vegetables such as carrots and cucumbers.

ASSEMBLING YOUR STAINLESS STEEL JUICE EXTRACTOR:

Wash all the parts that make contact with the food. (parts 1,2,3,4,12)
Make sure that the unit is unplugged before assembling.

1. Place the transparent middle body with spout (4) onto the main body (8).

2. Place the blade unit (3) into the transmitter (6) and press it down until it clicks into position securely and is able to turn freely.

3. Place the transparent cover (2) on top of the middle body spout unit (4)



4. Place the pusher (1) into the feeding chute



5. Lift the handle lock (5) until it locks firmly into position on the transparent cover (2); thereby switching on the 2 safety switches in the main body (8).



6. Place the pulp container (7) under the residue exit of the middle body spout unit (4)



7. Place the Juice Jug (12) under the spout of the middle body spout unit (4)



8. Connect plug as per rated voltage and turn on the LCD control (9)

CLEANING AND MAINTAINANCE

1. After using, switch OFF the Juice Extractor and unplug from the mains electrical supply.
2. Disassemble the parts (1, 2, 3, 4, 7) to wash them in warm soapy water. Then rinse thoroughly and dry these parts.
3. After use, wash the juice jug in warm soapy water.
4. Always wash parts immediately after using the Juice Extractor to avoid staining.
5. Do not immerse the main body in water. Wipe it clean with a damp cloth.
6. Do not use abrasive cleaners on the main body.
7. After cleaning, reassemble the Juice Extractor and store it, together with the juice jug and pulp container, in a dry, well-ventilated safe place, away from children.

NOTE

1. The machine will not operate if the handle lock is not in the correct locking position on the transparent cover.
2. There is an inbuilt protective safety device. Should the temperature of the motor become too high, the power will shut down automatically. Once the motor has cooled down sufficiently it will run again automatically. (This will take around 15 minutes)
3. Do not run the machine continuously for longer than 2 minutes. Should the motor overheat because the running time has been too long, the power will shut down automatically until the appliance has cooled down completely. This will prolong its service life.
4. DO NOT USE THIS JUICE EXTRACTOR TO EXTRACT JUICE FROM CITRUS FRUIT SUCH AS ORANGES AS IT COULD CAUSE A BLOCKAGE IN THE BLADE UNIT.

ENVIRONMENT FRIENDLY DISPOSAL

This marking indicates that this product should not be disposed of with other household waste. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable re-use of material resources. To dispose of your appliance correctly, please contact or take it to your local refuse / recycling centre. Alternatively, contact your local council for information on your local re-use centre. Please make this product environmentally safe for recycling.

brabantia®
solid company

STAINLESS STEEL JUICE EXTRACTOR
MODEL NO : BBEK1122

BRABANTIA CUSTOMER CARE LINE FOR RSA ONLY
0861 RANK SA (7265 72)